

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	0	(UML same template same (API RMI RPC remote query)) and ((convert\$\$ translat\$4 transform\$4) same (XSLT XSL) same (XML adj6 (form output response format message)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/26 16:17
S2	0	(UML same template same (API RMI RPC remote query)) and ((convert\$4 translat\$4 transform\$4) same (XSLT XSL) same (XML near9 (form output response format message)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/26 16:18
S3	16	(model same template same (API RMI RPC remote query)) and ((convert\$4 translat\$4 transform\$4) same (XSLT XSL) same (XML near9 (form output response format message)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/26 16:18
S4	3	(UML "Rationale Rose") and ( template same (API RMI RPC remote query)) and ((convert\$4 translat\$4 transform\$4) same (XSLT XSL) same (XML near9 (form output response format message)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/26 17:04
S5	12	(UML same XMI) and (API near9 (generat\$4 creat\$4 form\$3 invok\$3)) and ((XSL\$2 transform\$4 adapt\$4 convert\$3) same (XML adj9 (message output response file metadata persisted repository)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/27 12:51
S6	0	(UML and ("extensible markup" XML) and (adaptor XSL\$2))) and (template same (API near9 (generat\$4 develop\$5)).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/27 07:58
S7	23	(UML and ("extensible markup" XML) and (adaptor XSL\$2)) and (XML same (generat\$4 develop\$5)).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/27 07:59
S8	6	(UML and ("extensible markup" XML) and (adaptor XSL\$2)) and (API same template)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/27 07:59

## EAST Search History

S9	12	(UML same XMI) and (API near9 (generat\$4 creat\$4 form\$3 invok\$3)) and ((XSL\$2 transform\$4 adapt\$4 convert\$3) same (XML adj9 (message output response file metadata persisted repository)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/27 07:59
S10	39	S9 or S7 or S8	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/27 08:00
S11	10	S10 and (XML near4 (model tree metadata schema)) and (API same ((access\$3 retriev\$4 fetch\$3 query) with object))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/27 08:04
S12	141	template and (XML near4 (model tree metadata schema)) and (API same ((access\$3 retriev\$4 fetch\$3 query) with object))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/27 08:05
S13	0	(OMG and "Use case") and "Rationale Rose" and "XML schema"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/27 08:06
S14	193	((OMG and "Use case") "Rationale Rose" UML) and "XML schema"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/27 08:07
S15	774	(XML schema) same ( (generat\$3 develop\$4 creat\$4 build\$3) with API)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/27 08:08
S16	14	S14 and S15	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/27 08:16

## EAST Search History

S17	55	S12 and (S14 or S15)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/27 08:09
S18	7	S10 and (S16 or S17)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/27 08:10
S19	10	S16 not S18	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/27 08:30
S20	4	("20030221184" "6920474").pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/27 08:33
S21	4	(UML near4 (model metamodel representation template)) same (API with deriv\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/27 08:35
S22	2	S21 not Lauterbach.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/27 08:43
S23	66	SAP.as. and ((metamodel XML) same (extensible API))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/27 08:44
S24	5	(S12 or S14 or S15) and S23	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/27 09:02

## EAST Search History

S25	0	(border same (API near5 deriv\$4)).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/27 09:03
S26	1	(borders same (API near5 deriv\$4)).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/27 12:30
S27	0	template-based same (API and UML)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/27 12:31
S28	3	(template and ((class Java interface) near9 (attribute parameter))) same (API and UML))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/27 12:50
S29	53	MVC and UML and ((Java object class) near9 attribute) and XML and API	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/27 12:50
S30	97	(UML same (metadata metamodel model)) and (API near9 (generat\$4 creat\$4 form\$3 invoc\$3)) and (XML with (repository database schema metadata))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/27 12:52
S31	100	(UML same (metadata metamodel model)) and (API near9 (generat\$4 creat\$4 form\$3 invoc\$3 build\$3)) and (XML with (repository database schema metadata))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/27 14:28
S32	0	S29 and S31 and (API.ab. (XML and API).ab.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/27 12:53

## EAST Search History

S33	33	S29 and S31	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/27 12:53
S34	33	S33 not SAP.as.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/27 12:54
S35	0	S34 and (code near4 template)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/27 12:55
S36	32	S34 and ( template)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/27 12:55
S37	0	S36 and template same ((object class) with ( attribute parameter variable))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/27 12:56
S38	32	S36 and template and ((object class) with ( attribute parameter variable))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/27 12:56
S39	2	(boloker Mehra wirts Mandal).in. and XML and API and model and (model-view-controller or mvc) and (UML or template)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/27 14:19
S40	9	(boloker Mehra wirts Mandal).in. and XML and API and model and (model-view-controller or mvc) and class	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/27 14:22

## EAST Search History

S41	2	(Boloker Mehra wirts Mandal).in. and XML and API and model and (model-view-controller or mvc) and UML	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/27 14:25
S42	42	(SAX (single adj API adj2 XML)) and UML and API and XML	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/27 16:11
S43	9	S42 and (creat\$4 generat\$3 build\$4 deriv\$4 develop\$3) near9 (XML and API)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/27 14:53
S44	0	(UML same (deriv\$4 near4 (XML adj2 schema))) and ((generat\$4 build\$4 develop\$4) with ( API and XML) )	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/27 14:35
S45	1	(UML same (deriv\$4 near4 (XML adj2 schema))) and ((retriev\$4 mapp\$3 generat\$4 build\$4 develop\$4) with ( API or XML) )	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/27 14:40
S46	3	(UML same ((deriv\$4 build\$4 creat\$4 generat\$4) near4 (XML adj2 schema))) and ( API same XML)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/27 14:42
S47	0	Jurkiewicz.in. and DOM	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/27 14:42
S48	2	Jurkiewicz.in. and UML	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/27 14:45

## EAST Search History

S49	0	(MDO same UML) and (UML same ((API near4 class) and ("XML schema" DTD)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/27 14:47
S50	3	(MDO same UML) and (UML same ((API near4 class) ("XML schema" DTD)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/27 14:47
S51	16	(US-20030149934-\$ or US-20040177093-\$ or US-20040015829-\$ or US-20020184401-\$ or US-20030065533-\$ or US-20030221184-\$ or US-20050005261-\$ or US-20050044197-\$ or US-20040025110-\$).did. or (US-7058886-\$ or US-7103600-\$ or US-7043481-\$ or US-7099727-\$ or US-7076766-\$ or US-7028306-\$ or US-7043732-\$).did.	US-PGPUB; USPAT	OR	OFF	2006/09/27 14:50
S52	6	S51 and (UML and XML and API) and (XML same (DTD schema)) and template	US-PGPUB; USPAT	OR	OFF	2006/09/27 16:09
S53	4	S52 and ((creat\$4 generat\$3 build\$4 deriv\$4 develop\$3) near9 XML)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/27 15:09
S54	1	S53 and proxy	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/27 15:12
S55	3	S53 and (API near3 XML) and template	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/27 15:14

## EAST Search History

S56	2	S51 and UML and (API near9 XML) and template and SAX	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/27 15:15
S57	2	S51 and ("simple API" near3 XML)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/27 15:16
S58	0.	UML and ((schema and metamodel) same (class adj2 attribute)) and (template same code) and (("simple API" near3 XML) SAX)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/27 15:18
S59	3	UML and ((schema metamodel) same (class adj2 attribute)) and (template same code) and (("simple API" near3 XML) SAX)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/27 15:18
S60	3	UML and ((schema metamodel) same (class adj2 attribute)) and (template same code) and (("simple API" near3 XML) SAX "metadata API")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/27 15:19
S61	6	UML and ((schema metamodel) same (class object)) and (template same code) and (("simple API" near3 XML) SAX "metadata API")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/27 15:19
S62	17	(US-20030149934-\$ or US-20040177093-\$ or US-20040015829-\$ or US-20020184401-\$ or US-20030065533-\$ or US-20030221184-\$ or US-20050005261-\$ or US-20050044197-\$ or US-20040025110-\$).did. or (US-7058886-\$ or US-7103600-\$ or US-7043481-\$ or US-7099727-\$ or US-7076766-\$ or US-7028306-\$ or US-7043732-\$ or US-6964053-\$). did.	US-PGPUB; USPAT	OR	OFF	2006/09/27 15:25



## EAST Search History

S63	3	(SAX (single adj API adj2 XML)) and UML and S62 and (copy paste)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/27 15:30
S64	3	(SAX (single adj API adj2 XML)) and UML and S62	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/27 15:43
S65	0	Worden.in. and SAX	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/27 15:43
S66	17	(US-20030149934-\$ or US-20040177093-\$ or US-20040015829-\$ or US-20020184401-\$ or US-20030065533-\$ or US-20030221184-\$ or US-20050005261-\$ or US-20050044197-\$ or US-20040025110-\$).did. or (US-7058886-\$ or US-7103600-\$ or US-7043481-\$ or US-7099727-\$ or US-7076766-\$ or US-7028306-\$ or US-7043732-\$ or US-6964053-\$). did.	US-PGPUB; USPAT	OR	OFF	2006/09/27 16:09
S67	7	S66 and (UML and XML and API) and (XML same (DTD schema)) and template	US-PGPUB; USPAT	OR	OFF	2006/09/27 16:10
S68	7	S67 and UML and ((object Java class) same (attribute parameter variable member method))	US-PGPUB; USPAT	OR	OFF	2006/09/27 16:11
S69	3	(SAX (single adj API adj2 XML)) and S68 and ((schema metamodel DTD) same XML)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/27 16:12

## EAST Search History

S70	17	(US-20050005261-\$ or US-20040177093-\$ or US-20030221184-\$ or US-20030149934-\$ or US-20030065533-\$ or US-20050044197-\$ or US-20040025110-\$ or US-20040015829-\$ or US-20020184401-\$).did. or (US-7076766-\$ or US-7043732-\$ or US-7028306-\$ or US-7103600-\$ or US-7058886-\$ or US-7099727-\$ or US-7043481-\$ or US-6964053-\$). did.	US-PGPUB; USPAT	OR	OFF	2006/09/28 08:21
S71	3	S70 and SAX and UML and ((DTD schema Java) same XML)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/28 08:23